

Declaration of performance
according to Regulation (EU) 305/2011



Identification code: violino-55x98-gen-1
 Product: Violino 55x98
 Type/version: –
 Generation: 1
 Intended use: Inset appliance or open fire without hot water supply
 Manufacturer: Rüegg Cheminée Schweiz AG
 Studbachstrasse 7
 8340 Hinwil / Switzerland
 Authorised representative: –
 System of assessment and verification of constancy of performance: 3
 Notified laboratory: Rhein-Ruhr Feuerstätten Prüfstelle
 NB 1625
 Im Lipperfeld 34b
 46047 Oberhausen / Germany
 Test report: RRF – 29 16 4252 -1

Harmonized technical specification	EN 13229:2001 / A2:2004 / AC:2007		
Fire safety	Reaction to fire A1		
Minimum distance to combustible materials	Insulation thickness rear	15	cm
	Insulation thickness sides	15	cm
	Insulation thickness ceiling	–	cm
	Insulation thickness floor	4	cm
	Front	150	cm
Risk of burning fuel falling out	Pass		
Surface temperature	Pass		
Electrical safety	–		
Cleanability	Pass		
Mechanical resistance to carry a chimney / flue	NPD		
Emissions of combustion	CO (resp. 13 Vol-% 0)	1125	mg/m ³
	Dust (resp. 13 Vol-% 0)	22	mg/m ³
Maximum water operating pressure	–	bar	
Flue gas temperature at nominal heat output	305	° C	
Nominal heat output	14.0	kW	
Room heating output	14.8	kW	
Water heating output	–	kW	
Energy efficiency	80	%	

Hinwil, 20.05.2016

Name: Christoph Rutschmann
Director

Signature: