Appliances properties: Bullerjan GmbH - B4 10 kW

Master data		
Date of entry	Aug 1, 2019	
Manufacturer	Bullerjan GmbH	•
Model	B4 10 kW	
Nominal heat output [kW]	10	
Declared nominal space heating output [kW]	10	
Continuous burning appliance	-	
Type test standard	DIN EN 13240	3.4
Year of testing	2018	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	A DATA
Number of test laboratory	2	KAR
Number of test report	RRF - 40 18 5057	

Flue gas values

	Wood
Flue gas mass flow [g/s]	8
Flue gas mass flow [g/s]	308
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
0 - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	× .
DK - Danish regulation for air pollution from wood burners	•
- Crédit d'impôt à la transition énergétique	v

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	!
DK - Danish regulation for air pollution from wood burners	!