

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - K176A/90 li./blau (ab 2009) - G001769175

Master data		
Date of entry	Jan 14, 2011	
Manufacturer	Wamsler Haus- und Küchentechnik GmbH	
Model	K176A/90 li./blau (ab 2009)	
Product code	G001769175	
Nominal heat output [kW]	5	
Declared nominal space heating output [kW]	5	
Continuous burning appliance	✓	
Type test standard	DIN EN 12815	
Year of testing	2009	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF - 15 09 1980	

Flue gas values		
	Wood	Coal
Flue gas mass flow [g/s]	5.4	6.4
Flue gas mass flow [g/s]	290	325
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Cookers	Evaluation
0 - 1.BlmSchV	Stufe 2 Grandfathering
- Austrian regulation referred to Art. 15a B-VG	2015
H - Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	×

Evaluation of emission data and efficiency Lignite briquettes

Norm : Cookers	Evaluation
D - 1.BImSchV	Grandfathering
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓

Evaluation of emission data and efficiency Pellets		
Norm : Cookers	Evaluation	
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024	