# Appliances properties: HAAS+SOHN OFENTECHNIK GmbH - HSP 8 Lucca II RLU 442.08 ST - 0544208000000

Master data		
Date of entry	Nov 7, 2018	
Manufacturer	HAAS+SOHN OFENTECHNIK GmbH	
Model	HSP 8 Lucca II RLU 442.08 ST	
Product code	0544208000000	
Nominal heat output [kW]	8.5	
Declared nominal space heating output [kW]	8	10 / B
Partial load [kW]	2.5	
Continuous burning appliance	-	-
Type test standard	DIN EN 14785	
Year of testing	2017	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF - 85 15 3849	

Flue gas values	
	Pellets
Flue gas mass flow [g/s]	5.8
Flue gas mass flow [g/s]	201
Necessary flue draught [Pa]	11

## Suitability for installation to a shared flue<sup>1)</sup>

### Connectivity to the central heating system

#### General technical approval for room sealed operation

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Pellets

Norm : Pellet stoves without boiler	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7\$