## Appliances properties: Austroflamm GmbH - KE 64x33x51 S3

Date of entryFeb 2, 2021ManufacturerAustroflamm GmbHModelKE 64x33x51 S3Nominal heat output [kW]10Declared nominal space heating output [kW]10Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test reportDBI F 19/06/0669	Master data	
ModelKE 64x33x51 S3Nominal heat output [kW]10Declared nominal space heating output [kW]10Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Date of entry	Feb 2, 2021
Nominal heat output [kW]10Declared nominal space heating output [kW]10Continuous burning applianceImage: margin space heating output [kW]Type test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Manufacturer	Austroflamm GmbH
Declared nominal space heating output [kW]10Continuous burning appliance—Type test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Model	KE 64x33x51 S3
Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Nominal heat output [kW]	10
Type test standardDIN EN 13229Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Declared nominal space heating output [kW]	10
Year of testing2019Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Continuous burning appliance	_
Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Type test standard	DIN EN 13229
Number of test laboratory 12	Year of testing	2019
· · · · · · · · · · · · · · · · · · ·	Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg
Number of test report DBI F 19/06/0669	Number of test laboratory	12
	Number of test report	DBI F 19/06/0669

Flue gas values

Wood
11.86
261
12

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	_
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Inset appliances (with closed firedoor)	Evaluation
) - 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	× .
CH - Swiss clean air act	×
0K - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	· · · · · · · · · · · · · · · · · · ·

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	!
DK - Danish regulation for air pollution from wood burners	•