Appliances properties: Austroflamm GmbH - Toga

ſ

| Master data | | |
|--|-------------------|--|
| Date of entry | Jan 9, 2012 | |
| Manufacturer | Austroflamm GmbH | |
| Model | Тода | |
| Nominal heat output [kW] | 6 | |
| Declared nominal space heating output [kW] | 6 | |
| Continuous burning appliance | - | |
| Thermal output | 21,600 | |
| Type test standard | DIN 18891 | |
| Year of testing | 1996 | |
| Test laboratory | RWE Rheinbraun AG | |
| Number of test laboratory | 4.1 | |

| Further important characteristics of the appliance | |
|---|---|
| Suitability for installation to a shared flue ¹⁾ | |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | _ |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual). On behalf of the manufacturer, the HKL industrieverband e V bereby confirms compliance with the respective requirements* in accordance with 1.

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Evaluation of emission data and efficiency Wood | | |
|---|---|--|
| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation | |
| D - 1.BImSchV | According to the transitional rule §26 the appliance can be used until 31.12.2024 | |
| F - Crédit d'impôt à la transition énergétique | | |

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024

I

Emission evaluation legend

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) |
|-------------------|---|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label |
| 6☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label |
| 5 ☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label |
| ★ | Compliant with the requirements of the 1 star stage in Italy. |
| ↓ | Compliant with the requirements of the 2 star stage in Italy. |
| * ★ ☆ ☆ | Compliant with the requirements of the 3 star stage in Italy. |
| * | Compliant with the requirements of the 4 star stage in Italy. |
| **** | Compliant with the requirements of the 5 star stage in Italy. |
| < | Fulfils the requirements |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) |
| - | Requirements are not fulfilled |
| _ | No information/unknown |
| | No measuring values are available for this fuel, operation with this fuel is not permitted |
| No sy | mbol means that there are no requirements. |
| 1.1.0.0.0 | |

Here you will find further information