Appliances properties: BRUNNER - Kompakt-Kamin 57/67 FD, 57/67 RD, 57/67 PD

Master data		
Date of entry	Aug 26, 2014	
Manufacturer	BRUNNER	
Model	Kompakt-Kamin 57/67 FD, 57/67 RD, 57/67 PD	
Nominal heat output [kW]	11	
Declared nominal space heating output [kW]	11	
Continuous burning appliance	-	
Type test standard	DIN EN 13229	•
Year of testing	2011	
Test laboratory	TÜV SÜD Industrie Service GmbH	
Number of test laboratory	1	
Number of test report	W-O 1074-02/11	

Flue gas values

	Wood
Flue gas mass flow [g/s]	8.6
Flue gas mass flow [g/s]	231
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Inset appliances (with closed firedoor)	Evaluation
) - 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	× .
CH - Swiss clean air act	×
0K - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	· · · · · · · · · · · · · · · · · · ·

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	!
DK - Danish regulation for air pollution from wood burners	•