Appliances properties: Eurotherm GmbH Deutschland - Nano A

Master data Date of entry Aug 19, 2009 Manufacturer Eurotherm GmbH Deutschland Model Nano A Nominal heat output [kW] 5 **Continuous burning appliance** Type test standard **DIN EN 13240** Year of testing 2009 RWE Rheinbraun AG **Test laboratory** 4.1 Number of test laboratory Number of test report **FSPS-Wa 1859**

Flue gas values	
	Wood
Flue gas mass flow [g/s]	6
Flue gas mass flow [g/s]	310
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	_
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 1 Grandfathering
- Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	×
0K - Danish regulation for air pollution from wood burners	-
- Crédit d'impôt à la transition énergétique	

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	×