Appliances properties: Olsberg GmbH - Olsberg - Bernau 2312 - 22/506

Date of entryApr 6, 2011ManufacturerOlsberg GmbH - OlsbergModelBernau 2312Product code22/506Nominal heat output [kW]6Continuous burning appliance—Type test standardDIN 18890Year of testing1990	Master data		
ModelBernau 2312Product code22/506Nominal heat output [kW]6Continuous burning appliance–Type test standardDIN 18890	Date of entry	Apr 6, 2011	
Product code22/506Nominal heat output [kW]6Continuous burning appliance—Type test standardDIN 18890	Manufacturer	Olsberg GmbH - Olsberg	
Nominal heat output [kW] 6 Continuous burning appliance — Type test standard DIN 18890	Model	Bernau 2312	
Continuous burning appliance Image: Continuous burning appliance Type test standard DIN 18890	Product code	22/506	
Type test standard DIN 18890	Nominal heat output [kW]	6	
	Continuous burning appliance	-	
Year of testing 1990	Type test standard	DIN 18890	
	Year of testing	1990	

Further important characteristics of the appliance

 Suitability for installation to a shared flue¹⁾
 —

 Connectivity to the central heating system
 —

 General technical approval for room sealed operation
 —

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Continuous burning): Roomheater with feeder firing	Evaluation	
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2020	
F - Crédit d'impôt à la transition énergétique	!	

Norm DIN EN 13240 (Continuous burning): Roomheater with feeder firing

Evaluation

D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until 31.12.2020

I

Emission evaluation legend

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
*	Compliant with the requirements of the 1 star stage in Italy.
全 京京	Compliant with the requirements of the 2 star stage in Italy.
र् इ.इ.इ.इ.	Compliant with the requirements of the 3 star stage in Italy.
* ****	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
•	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
!	No measuring values are available for this fuel, operation with this fuel is not permitted
	ymbol means that there are no requirements.
1.1	21. Charles Francesco Charles and Charl

Here you will find further information