

Appliances properties: Hark GmbH & Co. KG - Nika ECOplus

| Master data | |
|------------------------------|----------------------------------|
| Date of entry | Feb 27, 2015 |
| Manufacturer | Hark GmbH & Co. KG |
| Model | Nika ECOplus |
| Nominal heat output [kW] | 7 |
| Continuous burning appliance | _ |
| Type test standard | DIN EN 13240 |
| Year of testing | 2012 |
| Test laboratory | Feuerstättenprüfstelle Kahl GmbH |
| Number of test laboratory | 28 |
| Number of test report | FK 40 12 142 |

| Flue gas values | | |
|-----------------------------|------|------|
| | Wood | Coal |
| Flue gas mass flow [g/s] | 5.46 | 5.79 |
| Flue gas mass flow [g/s] | 335 | 285 |
| Necessary flue draught [Pa] | 12 | 12 |

| Further important characteristics of the appliance | |
|---|---|
| Suitability for installation to a shared flue ¹⁾ | |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | - |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Stufe 2 |
|---------|
| |
| 2015 |
| × |
| × |
| |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation | |
|---|------------|--|
| D - 1.BImSchV | Stufe 2 | |
| A - Austrian regulation referred to Art 15a B-VG | × | |
| CH - Swiss clean air act | × | |
| DK - Danish regulation for air pollution from wood burners | × | |