

Appliances properties: LEDA Werk GmbH & Co. KG - KARAT 57xD, 77xHD

Master data		
Date of entry	Mar 11, 2008	
Manufacturer	LEDA Werk GmbH & Co. KG	ACTION
Model	KARAT 57xD, 77xHD	
Nominal heat output [kW]	9	
Continuous burning appliance	_	
Type test standard	DIN EN 13229	t same
Year of testing	2000	
Test laboratory	Prüflabor für Feuerungsanlagen am Institut für Verfahrenstechnik, Umwelttechnik und Technische Biowi	
Number of test laboratory	7	
Number of test report	PL-0005-P	

Wood
12
222
13

Further important characteristics of the appliance			
Suitability for installation to a shared flue ¹⁾	_		
Connectivity to the central heating system	-		
General technical approval for room sealed operation			

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood		
Norm : Inset appliances (with closed firedoor)	Evaluation	
) - 1.BImSchV	Stufe 1 Grandfathering	
- Austrian regulation referred to Art 15a B-VG	×	
H - Swiss clean air act	✓	
F - Crédit d'impôt à la transition énergétique	6☆	

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024
CH - Swiss clean air act	!