

## Appliances properties: Olsberg GmbH - Olsberg - Osorno S (Kamineinsatz)

Master data	
Date of entry	Nov 14, 2018
Manufacturer	Olsberg GmbH - Olsberg
Model	Osorno S (Kamineinsatz)
Nominal heat output [kW]	5.7
Continuous burning appliance	—
Type test standard	DIN EN 13229
Year of testing	2018
Test laboratory	Strojirensky Zkusebni Ustav s.p.
Number of test laboratory	19
Number of test report	30-13978-T-1

Flue gas values

	Wood	
Flue gas mass flow [g/s]	4.9	
Flue gas mass flow [g/s]	234	
Necessary flue draught [Pa]	10	

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	_
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm : Inset appliances (with closed firedoor)	Evaluation
0 - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
- Crédit d'impôt à la transition énergétique	74

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!
DK - Danish regulation for air pollution from wood burners	•