

Appliances properties: firetube GmbH - burner H2O water-modul

Master data		
Date of entry	Jul 17, 2012	
Manufacturer	firetube GmbH	
Model	burner H2O water-modul	
Nominal heat output [kW]	14.9	
Continuous burning appliance	—	-0)
Type test standard	DIN EN 13229	E. R. O
Year of testing	2012	
Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg	
Number of test laboratory	12	

Flue gas values

Wood
13
294
13

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	A
Connectivity to the central heating system	_

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 2
Stule 2
× .
×

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliance with flat-layer firing	Evaluation
D - 1.BImSchV	•