

Appliances properties: ROKOSSA Energietechnik GmbH - RG1 7,0kW

Master data		
Date of entry	Mar 24, 2015	
Manufacturer	ROKOSSA Energietechnik GmbH	
Model	RG1 7,0kW	
Nominal heat output [kW]	7	
Declared nominal space heating output [kW]	1	
Nominal water heating output [kW]	5.5	
Water operating pressure [bar]	3	
Continuous burning appliance	_	
Type test standard	DIN EN 13229	
Year of testing	2011	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF-29 11 2829	

Flue gas values	
	Wood
Flue gas mass flow [g/s]	6
Flue gas mass flow [g/s]	235
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	√
Connectivity to the central heating system	√
General technical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood		
lorm : Inset appliances (with closed firedoor)	Evaluation	
D - 1.BImSchV	Stufe 2	
A - Austrian regulation referred to Art 15a B-VG	2015	
CH - Swiss clean air act	 Image: A set of the set of the	
F - Crédit d'impôt à la transition énergétique	7\$	

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	ļ