

Appliances properties: Ofen Innovativ OI GmbH - Grundofenfeuerraum SNK-T

Master data	
Date of entry	Aug 13, 2015
Manufacturer	Ofen Innovativ OI GmbH
Model	Grundofenfeuerraum SNK-T
Nominal heat output [kW]	15.4
Declared nominal space heating output [kW]	15
Continuous burning appliance	_
Type test standard	DIN EN 13229
Year of testing	2014
Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg
Number of test laboratory	12
Number of test report	DBI F 14/11/0298

Flue gas values

	Wood
Flue gas mass flow [g/s]	18.5
Flue gas mass flow [g/s]	254
Necessary flue draught [Pa]	11

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood		
lorm : Inset appliances (with closed firedoor)	Evaluation	
D - 1.BImSchV	Stufe 2	
A - Austrian regulation referred to Art 15a B-VG	2015	
CH - Swiss clean air act	 Image: A set of the set of the	
F - Crédit d'impôt à la transition énergétique	7\$	

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	ļ