

Appliances properties: RIKA Innovative Ofentechnik GmbH - Teatro

Master data		
Date of entry	Aug 28, 2011	
Manufacturer	RIKA Innovative Ofentechnik GmbH	
Model	Teatro	
Nominal heat output [kW]	10	
Declared nominal space heating output [kW]	10	
Partial load [kW]	5	
Part load space heating output [kW]	5	
Continuous burning appliance	-	
Type test standard	DIN 18891	
Year of testing	2003	
Test laboratory	Prüflabor für Feuerungsanlagen am Institut für Verfahrenstechnik, Umwelttechnik und Technische Biowi	
Number of test laboratory	7	
Number of test report	PL-0219-P	

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	*
Connectivity to the central heating system	—
General technical approval for room sealed operation	—
$\frac{1}{2}$ For uncertain it is possible to install the applicance to a charad flue system (places are installation manual)	

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood		
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BImSchV	Stufe 1 Grandfathering	
F - Crédit d'impôt à la transition énergétique	7 ☆	
Evaluation of emission data and efficiency Lignite briquettes		

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BlmSchV

Evaluation

According to the transitional rule §26 the appliance can be used until 31.12.2024