Appliances properties: skantherm GmbH & Co. KG - milano stein

| Date of entry Oc | ct 2, 2014 |
|---|---|
| Manufacturer ska | antherm GmbH & Co. KG |
| Model mi | ilano stein |
| Nominal heat output [kW] 6 | |
| Declared nominal space heating output [kW] 6. | 1 |
| Continuous burning appliance | - |
| Type test standard DI | N EN 13240 |
| Year of testing 20 | 012 |
| Test laboratory RF | RF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |
| Number of test laboratory 2 | |
| Number of test report RF | RF - 40 12 2953 |

Flue gas values

| | Wood | |
|-----------------------------|------|--|
| Flue gas mass flow [g/s] | 5.5 | |
| Flue gas mass flow [g/s] | 300 | |
| Necessary flue draught [Pa] | 12 | |

| Further important characteristics of the appliance | |
|---|-------------|
| Suitability for installation to a shared flue ¹⁾ | ✓ |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | |
| Number of approval for room sealed operation | Z-43.12-211 |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
|) - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | 2015 |
| CH - Swiss clean air act | × |
| DK - Danish regulation for air pollution from wood burners | × |
| - Crédit d'impôt à la transition énergétique | v |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation | |
|---|------------|--|
| D - 1.BImSchV | ! | |
| DK - Danish regulation for air pollution from wood burners | ! | |