Appliances properties: Austroflamm GmbH - Clou Pellet 10 kW

| Master data | |
|--|--|
| Date of entry | May 16, 2018 |
| Manufacturer | Austroflamm GmbH |
| Model | Clou Pellet 10 kW |
| Nominal heat output [kW] | 10 |
| Declared nominal space heating output [kW] | 10 |
| Partial load [kW] | 2.4 |
| Part load space heating output [kW] | 2.4 |
| Continuous burning appliance | - |
| Thermal output | 36,000 |
| Type test standard | DIN EN 14785 |
| Year of testing | 2017 |
| Test laboratory | DBI-Gastechnisches Institut gGmbH Freiberg |
| Number of test laboratory | 12 |
| Number of test report | DBI F 16/11/0425 |

| Flue gas values | |
|-----------------------------|---------|
| | Pellets |
| Flue gas mass flow [g/s] | 6.62 |
| Flue gas mass flow [g/s] | 221 |
| Necessary flue draught [Pa] | 12 |

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Pellets

| Norm : Pellet stoves without boiler | Evaluation |
|--|------------|
| D - 1.BImSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | < |
| CH - Swiss clean air act | < |
| DK - Danish regulation for air pollution from wood burners | ✓ |
| F - Crédit d'impôt à la transition énergétique | 7☆ |