

Appliances properties: Wolfshöher Tonwerke GmbH & Co. KG - Grundofenfeuerraum WGO 4.5

| Master data | | |
|-------------------------------|---|--|
| Date of entry Manufacturer | Feb 23, 2015 Wolfshöher Tonwerke GmbH & Co. KG | |
| Model | Grundofenfeuerraum WGO 4.5 | |
| Continuous burning appliance | - | |
| Type test standard | in Anlehnung an DIN EN 15250 | |
| Year of testing | 2014 | |
| Test laboratory | DBI-Gastechnisches Institut gGmbH Freiberg | |
| Number of test laboratory | 12 | and the second sec |
| Number of test report | DBI F 14/06/0279 | |

Flue gas values

| | Wood | |
|-----------------------------|------|--|
| Flue gas mass flow [g/s] | 33 | |
| Flue gas mass flow [g/s] | 650 | |
| Necessary flue draught [Pa] | 13 | |

| Further important characteristics of the appliance | |
|---|---|
| Suitability for installation to a shared flue ¹⁾ | |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | - |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Evaluation of emission data and efficiency Wood | | |
|--|------------|--|
| Norm : Masonry heater | Evaluation | |
|) - 1.BlmSchV | Stufe 2 | |
| A - Austrian regulation referred to Art 15a B-VG | 2015 | |
| CH - Swiss clean air act | ✓ | |
| F - Crédit d'impôt à la transition énergétique | 7\$ | |

Evaluation of emission data and efficiency Lignite briquettes

| Norm : Masonry heater | Evaluation |
|-----------------------|------------|
| D - 1.BImSchV | |