

# Appliances properties: Wamsler Haus- und Küchentechnik GmbH - 198 80 (KF 198-L) - 0019880xx

Master data		
Date of entry	Apr 19, 2011	
Manufacturer	Wamsler Haus- und Küchentechnik GmbH	
Model	198 80 (KF 198-L)	
Product code	0019880xx	
Nominal heat output [kW]	8	
Continuous burning appliance	—	
Type test standard	DIN 18891	
Year of testing	1998	
Test laboratory	RWE Rheinbraun AG	
Number of test laboratory	4.1	
Number of test report	RB BF1-Hn 55/98	

## Further important characteristics of the appliance

### Suitability for installation to a shared flue<sup>1)</sup>

#### Connectivity to the central heating system

#### General technical approval for room sealed operation

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024
F - Crédit d'impôt à la transition énergétique	•
Evaluation of emission data and efficiency Lignite briquettes	
Evaluation of emission data and efficiency Lignite briquettes Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
Norm DIN EN 13240 (Intermittent burning): Roomheater	Evaluation