Appliances properties: Austroflamm GmbH - Heidi Back - O76001

ManufacturerAustroflamm GmbHModelHeidi BackProduct codeO76001Nominal heat output [kW]7Declared nominal space heating output [kW]7Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning appliance	Master data	
ModelHeidi BackProduct codeO76001Nominal heat output [kW]7Declared nominal space heating output [kW]3.5Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning appliance	Date of entry	Dec 19, 2018
Product codeO76001Nominal heat output [kW]7Declared nominal space heating output [kW]7Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning appliance	Manufacturer	Austroflamm GmbH
Nominal heat output [kW]7Declared nominal space heating output [kW]7Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning appliance	Model	Heidi Back
Declared nominal space heating output [kW]7Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning applianceThermal output25,200Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Product code	O76001
Partial load [kW]3.5Part load space heating output [kW]3.5Continuous burning appliance-Thermal output25,200Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Nominal heat output [kW]	7
Part load space heating output [kW]3.5Continuous burning appliance—Thermal output25,200Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Declared nominal space heating output [kW]	7
Continuous burning appliance—Thermal output25,200Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Partial load [kW]	3.5
Thermal output25,200Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Part load space heating output [kW]	3.5
Type test standardDIN EN 13240Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Continuous burning appliance	<u> </u>
Year of testing2018Test laboratoryDBI-Gastechnisches Institut gGmbH FreibergNumber of test laboratory12	Thermal output	25,200
Test laboratory DBI-Gastechnisches Institut gGmbH Freiberg Number of test laboratory 12	Type test standard	DIN EN 13240
Number of test laboratory 12	Year of testing	2018
	Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg
	Number of test laboratory	12
Number of test report DBTF 18/10/0609	Number of test report	DBI F 18/10/0609

Flue gas values	
	Wood
Flue gas mass flow [g/s]	6.41
Flue gas mass flow [g/s]	262
Necessary flue draught [Pa]	12

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7 ☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BImSchV	!	
DK - Danish regulation for air pollution from wood burners	ļ	