

## Appliances properties: Wamsler Haus- und Küchentechnik GmbH - K144S+C BEISTELLHERD 40cm (ab 2012) - W2000144xxxx

Master data		
Date of entry	Jul 15, 2016	
Manufacturer	Wamsler Haus- und Küchentechnik GmbH	
Model	K144S+C BEISTELLHERD 40cm (ab 2012)	
Product code	W2000144xxxx	+
Nominal heat output [kW]	5	10. mm 3
Declared nominal space heating output [kW]	5	_
Continuous burning appliance		
Type test standard	DIN EN 12815	
Year of testing	2012	
Test laboratory	TÜV Süd Kermi Kft.	
Number of test laboratory	14	
Number of test report	R-326484	

Flue gas values		
	Wood	Coal
Flue gas mass flow [g/s]	6.6	8.4
Flue gas mass flow [g/s]	311	275
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Cookers	Evaluation
0 - 1.BlmSchV	Stufe 2 Grandfathering
- Austrian regulation referred to Art. 15a B-VG	2015
H - Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	×

## Evaluation of emission data and efficiency Lignite briquettes

Evaluation
Stufe 2 Grandfathering
2015
×

Evaluation of emission data and efficiency Pellets		
Norm : Cookers	Evaluation	
D - 1.BImSchV		