

## Appliances properties: Varde Ovne A/S - Fuego 2

Master data	
Date of entry	Oct 23, 2013
Manufacturer	Varde Ovne A/S
Model	Fuego 2
Nominal heat output [kW]	5
Continuous burning appliance	_
Type test standard	DIN EN 13240
Year of testing	2012
Test laboratory	RWE Rheinbraun AG
Number of test laboratory	4.1
Number of test report	FSPS-Wa 2168-EN

 Wood

 Flue gas mass flow [g/s]
 5.5

 Flue gas mass flow [g/s]
 340

 Necessary flue draught [Pa]
 11

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	—
General technical approval for room sealed operation	—

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	× .
DK - Danish regulation for air pollution from wood burners	×
- Crédit d'impôt à la transition énergétique	×

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BImSchV	!	
DK - Danish regulation for air pollution from wood burners	!	