

Appliances properties: Lohberger Heiz und Kochgeräte Technologie GmbH - Varioline LCP 80

Master data		
Date of entry	Aug 11, 2010	
Manufacturer	Lohberger Heiz und Kochgeräte Technologie GmbH	
Model	Varioline LCP 80	
Nominal heat output [kW]	7	
Continuous burning appliance	_	
Type test standard	DIN EN 12815	- 2
Year of testing	2004	
Test laboratory	Prüflabor für Feuerungsanlagen am Institut für Verfahrenstechnik, Umwelttechnik und Technische Biowi	
Number of test laboratory	7	
Number of test report	PL-0418-P-E	

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Cookers	Evaluation
0 - 1.BlmSchV	Stufe 2 Grandfathering
- Austrian regulation referred to Art. 15a B-VG	✓
H - Swiss clean air act	<
- Crédit d'impôt à la transition énergétique	×

Evaluation of emission data and efficiency Lignite briquettes Norm : Cookers Evaluation

According to the transitional rule §26 the appliance can be used until 31.12.2024

Evaluation of emission data and efficiency Pellets

D - 1.BImSchV

Norm : Cookers	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024