

Appliances properties: Attika Feuer AG - Q-TEE 2 C SST

Master data		
Date of entry	Jan 25, 2021	-
Manufacturer	Attika Feuer AG	
Model	Q-TEE 2 C SST	
Nominal heat output [kW]	6.5	200
Continuous burning appliance	-	- Alexandre - A
Type test standard	DIN EN 13240	I Description
Year of testing	2017	
Test laboratory	Danish Technological Institute	
Number of test laboratory	15	
Number of test report	300-ELAB-1882-EN-Rev3	and a start of the

Flue gas values	
	Wood
Flue gas mass flow [g/s]	5.2
Flue gas mass flow [g/s]	263
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	_
Connectivity to the central heating system	_
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
0 - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	×
0K - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Grandfathering
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	 ✓
DK - Danish regulation for air pollution from wood burners	-