

Appliances properties: Hark GmbH & Co. KG - Bella Rosa 9 ECOplus

Feb 27, 2015	
Hark GmbH & Co. KG	
Bella Rosa 9 ECOplus	
7	
_	
DIN EN 13240	
2014	
Feuerstättenprüfstelle Kahl GmbH	
28	
FK 40 14 297	
	Hark GmbH & Co. KG Bella Rosa 9 ECOplus 7 DIN EN 13240 2014 Feuerstättenprüfstelle Kahl GmbH 28

Flue gas values		
	Wood	Coal
Flue gas mass flow [g/s]	5	5.1
Flue gas mass flow [g/s]	310	308
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 2
2015
×
×

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×