

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - TYP10831-PYRIT NS,S,APNS 6KW (ab 2018) - W20001083120

Master data		
Date of entry	Aug 2, 2018	
Manufacturer	Wamsler Haus- und Küchentechnik GmbH	
Model	TYP10831-PYRIT NS,S,APNS 6KW (ab 2018)	
Product code	W20001083120	
Nominal heat output [kW]	6	
Declared nominal space heating output [kW]	6	
Continuous burning appliance	-	
Гуре test standard	DIN EN 13240	
/ear of testing	2018	
Test laboratory	TÜV Süd Kermi Kft.	
Number of test laboratory	14	
Number of test report	R-113068-1	

Flue gas values		
	Wood	Coal
Flue gas mass flow [g/s]	9.2	7.5
Flue gas mass flow [g/s]	204	237
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 2
2015
×
×

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
D - 1.BImSchV	Stufe 2	
A - Austrian regulation referred to Art 15a B-VG	×	
CH - Swiss clean air act	×	
DK - Danish regulation for air pollution from wood burners	×	