

Appliances properties: Rüegg Cheminée Schweiz AG - Jupiter 570 K Flach

Master data		
Date of entry Manufacturer Model	Nov 6, 2009 Rüegg Cheminée Schweiz AG Jupiter 570 K Flach	
Nominal heat output [kW]	9	
Declared nominal space heating output [kW]	9	
Continuous burning appliance	—	
Type test standard	DIN EN 13229	
Year of testing	2009	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory	2	
Number of test report	RRF-29 00 142	

Flue gas values

Wood	
8	
320	
14	

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Inset appliances (with closed firedoor)	Evaluation	
0 - 1.BImSchV	Stufe 1 Grandfathering	
- Austrian regulation referred to Art 15a B-VG	!	
CH - Swiss clean air act	×	
K - Danish regulation for air pollution from wood burners	_	
- Crédit d'impôt à la transition énergétique	5★	

Evaluation of emission data and efficiency Lignite briquettes		
Norm : Inset appliances (with closed firedoor)	Evaluation	
D - 1.BlmSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024	
DK - Danish regulation for air pollution from wood burners	!	