## Appliances properties: Jøtul A/S - F 118

ſ

Master data		
Date of entry	Sep 27, 2011	
Manufacturer Model	Jøtul A/S F 118	
Nominal heat output [kW]	8	
Continuous burning appliance	-	
Type test standard	DIN EN 13240	
Year of testing	2009	
Test laboratory	RWE Rheinbraun AG	
Number of test laboratory	4.1	
Number of test report	FSPS-Wa 1761-EN	

 Wood

 Flue gas mass flow [g/s]
 8.4

 Flue gas mass flow [g/s]
 301

 Necessary flue draught [Pa]
 13

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	_
Connectivity to the central heating system	_
General technical approval for room sealed operation	_

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	-
DK - Danish regulation for air pollution from wood burners	_
F - Crédit d'impôt à la transition énergétique	×

## Evaluation of emission data and efficiency Lignite briquettes Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing Evaluation D - 1.BImSchV According to the transitional rule §26 the appliance can be used until 31.12.2024 DK - Danish regulation for air pollution from wood burners I