

## Appliances properties: Olsberg GmbH - Olsberg - Turia Compact

Master data		
Date of entry	Nov 15, 2012	
Manufacturer	Olsberg GmbH - Olsberg	
Model	Turia Compact	
Nominal heat output [kW]	5	
Continuous burning appliance	_	
Type test standard	DIN EN 13240	
Year of testing	2012	
Test laboratory	Feuerstättenprüfstelle Kahl GmbH	
Number of test laboratory	28	
Number of test report	FK 40 12 136 - FK/BZ 12 007	

Flue gas values	
	Wood
Flue gas mass flow [g/s]	4
Flue gas mass flow [g/s]	367
Necessary flue draught [Pa]	12

 Further important characteristics of the appliance

 Suitability for installation to a shared flue<sup>1)</sup>

 Connectivity to the central heating system

 General technical approval for room sealed operation

 Number of approval for room sealed operation

 Z-43.12.345

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Stufe 2
2015
×
×

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×