Appliances properties: Eurotherm GmbH Deutschland - Imperial de Luxe

Master data Date of entry Jan 14, 2009 Manufacturer Eurotherm GmbH Deutschland Model Imperial de Luxe Nominal heat output [kW] 4.5 Continuous burning appliance _ Type test standard **DIN EN 13240** Year of testing 2009 **RWE Rheinbraun AG Test laboratory** 4.1 Number of test laboratory Number of test report **FSPS-Wa 1824**

Wood Flue gas mass flow [g/s] 4 Flue gas mass flow [g/s] 320 Necessary flue draught [Pa] 12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	_
Connectivity to the central heating system	_
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	—
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	-

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	-